

SC KIMAVILL SRL

Complexului 40/2/2/2 ,085200 Mihailesti – Giurgiu

RO 17012484, J52/553/2006


Produs - Eddy Current Separator

SEPARATORUL Eddy Current este un dispozitiv care separa într-un mod eficient metalele neferoase de alte produse .Aplicatiile concrete pot fi (fara a se limita la acestea) cutiile de aluminiu de la deseurile urbane , fulgi de aluminiu ca rezultat de la piesele de aluminiu supuse operatiunii de sherduire , fulgi de alama , cupru si

aluminiu din nisipul de la turnatorie .

Deasememea se aplica cu succes metalelor si nemetalelor rezultate din sherduirea componentelor auto .

Pentru o operatiune cat mai eficienta dispozitivele noastre au intodeauna montate si un magnet permanent , care separa particulele metalice din produsul supus selectarii .



CARACTERISTICI STANDARD SI BENEFICII :

1. Structura rezistentă , ușor de instalat și de operat . Intretinere ușoară și fără costuri semnificative .
2. Polul EXCENTRIC este ușor de reglat în vederea obținerii celui mai bun efect .
3. Partile importante ale utilajului sunt stabile , sigure și oferă performanță ridicată .



Nord Gear Motor



SIGELING Belt



Schneider Electric Parts


4. Elementele de protectie .



Emergency Stop and Open-Cover Reset button.

5. Sitem avansat de separare si distribuire

PRINCIPIU DE FUNCTIONARE



Specificatie tehnica

Model	ECS65P	ECS80P	ECS100P	ECS120P	ECS150P	ECS180P
Diametrul rolei magnetice (mm)	500	500	500	500	500	500

Viteza rolei magnetice (r/min)	0-3100	0-3100	0-3000	0-3000	0-3000	0-3000
Latimea benzii transport. (mm)	650	800	1000	1200	1500	1700
Viteza benzii (m/s)	0-2	0-2	0-2	0-2	0-2	0-2
Putere (kw)	4.0+1.1	4.0+1.5	5.5+1.5	5.5+2.2	5.5+2.2	5.5+3.0
Greutate (kg)	2000	2500	2900	3600	3800	3900
Dimensiuni (mm)	3670*1650*1285	3670*2000*1285	3670*2300*1285	4160*2400*1285	4160*2600*1285	4160*2800*1285
Capacitate						
Pret fara TVA					115,000 euro	

APLICATII :



Steel Slag Processing System could deal with waste tailing pollution of steel industry, separate non-ferrous metal, stainless steel, rubber etc from the waste tailings.



Refrigerator Dismantling Recycling



Crushed Cullet Recycling



Pet Flakes Recycling



Papermill Waste Recycling



Aluminum Recycling


Materials:



Cullet Aluminum



Aluminum PET Flakes



Rubber Aluminum



Foundry Sand Aluminum



Aluminum Wood



PET Bottles Aluminum Cans